

Product Information

Brake Fluid - DOT4

Description

A synthetic brake fluid having the following properties:

- Good resistance against ageing
- A very good compatibility with seals and gaskets
- Minimal corrosion tendency
- High wet boiling point
- Optimal viscosity at low temperatures

Application

Applicable for all hydraulic brake systems with drum or disk brakes requiring a synthetic brake fluid and where a brake fluid of the type DOT 4 is prescribed.

Specification

Performance level:

FMVSS 116 DOT 4
SAE J1703, ISO 4925

Typical Characteristics

DOT4		
Property	Unit	
Density @15 °C	Kg/l	1.062
Viscosity 100 °C	mm ² /s	2.1
Viscosity -40 °C	mm ² /s	1270
Boiling Point (reflux) , °C	°C	261
Wet Boiling Point, °C	°C	158
pH -50% in Ethanol Solution		8

The data mentioned in this product information sheet are meant to enable the reader to orient himself about the properties and possible applications of our products. Although this overview is composed with all possible carefulness on the stated date, the composer does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product-choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification. You can download a recent material safety data sheet of this product on our website.