



## Product information

### 10W40 SL

A gasoline Engine Oil blended with most advanced additive package and designed according to the latest technology for most recent gasoline engines, which enable to give exceptional performance under severe operating conditions. It provides effective protection against oxidation, wear and corrosion under high temperature operations and remains stable.

This engine oil has the following properties:

- a very powerful detergency prevents deposits in the engine
- a very strong dispersion that prevents from precipitation and sludge
- a powerful activity against corrosion and foam
- a high and stable viscosity index
- a high resistance against heat generation

This Engine Lubricant is suitable for use in automotive gasoline and diesel engines where the manufacturer recommends an API SL or earlier

#### Performance level:

ACEA A3/B3  
API SL

#### Typical Characteristics

10W40 SL		
Property	Unit	Typical Values
Density at 15 °C	kg/l	0.865
Viscosity -15 °C	mPa.s	6190
Viscosity 40 °C	mm <sup>2</sup> /s	96
Viscosity 100 °C	mm <sup>2</sup> /s	13.9
Viscosity Index		147
Flash Point COC	°C	220
Pour Point	°C	-42
Total Base Number	mgKOH/g	8
Sulphate Ash	%	1.02

The data mentioned in this product information sheet are meant to enable the reader to orient himself about the properties and possible applications of our products. Although this overview is composed with all possible carefulness on the stated date, the composer does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product-choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

You can download a recent material safety data sheet of this product on our website.